

# markilux products

Experience and knowledge by tradition - ideas and creativity for the future

# Design

markilux products are designed to be timeless. Trendy and classic lines united in the perfect products for your home. Reputable designers have created beauty in both the technological and the textile.

# Innovation

markilux awnings did not get to where they are by chance. In each of our products you will find technical innovations crafted for a particular application. We try to anticipate the requirements of tomorrow and satisfy them today.

# **Dynamics**

markilux developments are dynamic. We think well ahead as markilux clients should be able to enjoy our products for many years to come. Many of the ideas we have can be retrofitted to already existing products. This makes our products very long lasting indeed.











# **Functionality**

markilux technology is designed to last for a small eternity. The materials used meet the highest standards to ensure problemfree operation for many years.

# Safety

Certified quality from a certified company; independent bodies audit us and document our commitment to quality. The inimitability of our manufacturing, textile production and awning construction within one single company leads to the creation of products that do not leave anything to be desired.

# Service

markilux, dedicated to craftsmanship.
markilux Specialist Dealers are experts
when it comes to the sale and installation of
awnings. We support these businesses with
training and the transfer of know how.



Contents	
Awning covers by markilux	4
visutex -	
available exclusively at markilux6	- 13
sunsilk snc 14	- 19
sunvas snc 20	- 26
colours	27
classics	- 31

biala con	Juis	uı	ı	ì	,,,						31		41	,				_	_		,	
specials .													f	r	OI	m	ľ	po	<b>1</b> 0	je	3	4
perfotex.																		3	4		3	5
vuscreen	FR.																				3	6
vuscreen	ALU																				3	7
sunsilk p	erla	FR	₹.																		3	8
Product o	harc	ıct	e	ri	st	į	cs	5 (	aı	n	d	c	a	r	e						3	9



markilux awning covers

# markilux awning covers // are convincing products because of their quality and appearance

With the purchase of a markilux awning cover you have chosen a high-class, quality product. All fabrics are manufactured on state-of-the-art weaving mills. This guarantees near perfection in the manufacturing process. Meticulous checks also ensure that we only ever supply functionally flawless covers. However, awning covers do not only serve as effective protection from the sun. They also have a decisive impact on the colour ambience and hence the atmosphere under an awning. For even greater enjoyment of the colour provided by the shade of an awning, markilux offers an extensive collection of more than 250 fabrics made from innovative, high-tech polyester yarns sunvas snc and sunsilk snc.

The certificate "Öko Tex Standard 100" guarantees that



no harmful dyes or chemicals were used in the making of markilux awning covers.

# Effective protection against UV radiation

Due to the increased strength of

UV radiation, healthcare during our leisure time is gaining in importance. Therefore it is important to know just how many



harmful UVA and UVB rays will pass through the cover when purchasing an awning. markilux fabrics in dark colours afford 100 per cent protection. The lighter colours (right through to plain white) stop up to 97 per cent of UV radiation.

These figures are based on research conducted by the Hohenstein Research Institute as well as the manufacturer of our fabric yarns. All fabrics made of sunsilk snc and sunvas snc achieve the highest possible solar protection factor for textiles (UPF 50+). The UPF (Ultraviolet Protection Factor) specifies how much longer one

can be exposed to sunlight when protected from it by the given UPF without suffering sunburn. Fabrics with an ultraviolet protection factor of 50+ would enable you to sit out safely in the sun fifty times longer than you would otherwise be able to do without suffering sunburn, if you were to rely solely on the protection provided by your skin.

In order to ascertain the sun protection factor required, you need to know what level of protection is provided by your own skin, as well as the length of time you wish to sit in the sun (your own protection time x sun protection factor = maximum sunbathing time). It is essential to bear in mind that the sun protection (awning) fabric is only able to reduce the effect of direct sunlight and not that resulting from reflected UV radiation (from water, for example).

# Superior light and weather fastness values

Our covers made from sunsilk snc and sunvas snc get the



best values (marks 7 to 8) when rating their lightfastness and weather resistance.

# More attractive appearance thanks to bonded fabrics

The ultrasonic bonding process lends the cover a vastly improved appearance. It has been tested for its durability. The high compression bonding process offers many advantages: Under normal conditions the panel joints (formerly seams) are impermeable to light and water and resistant to changes in temperature. Thanks to its smoother surface, the fabric has a longer life-span. In addition bonding avoids the problem of premature ageing of the thread as a result of UV radiation and weathering.

We supply our awnings with bonded covers. If you would prefer your awning cover to be

produced with the conventional stitched finish, we kindly request you to state this clearly on your order. Exceptions are covers made from perfotex and those from other collections that are manufactured in a stitched finish for technical reasons. Both stitched and bonded awning fabrics show inevitable differences in colour due to the double layer of fabric at the seams and panel joints - the fabric appears to be darker in this area. The illustration shows the colour brilliance of the awning fabric when backlit, the way you would experience it while enjoying the luminous shade of your awning. Awning covers in all the markilux awning fabric patterns shown are made as a rule from panels 120 cm wide; The images do not show the full fabric width. The actual fabric colours may differ slightly from those depicted. The printed picture is not the same as a woven fabric.











# Exclusivity at no extra cost The visutex collection

The stylists at markilux have developed the visutex collection to cater specifically to exacting tastes.


visutex is stylishly modern design embodied in a vividly textured weaving technique. It delicately reflects the colours and textures of patio and garden. Eight vibrant colour families and elegant patterns lend the fabrics, designed exclusively for markilux, a unique signature. Radiant and brilliant in the sunsilk snc quality and gently glowing in the new sunvas snc version.

yellow\_ summery, stimulating, sunny, refreshing, carefree, warm, exhilarating, luminous, uplifting, appealing






**sunvas** 31471



sunsilk 36923




sunsilk 36917



**sunsilk** 36995




**SUNVAS** 31481



**SUNVAS** 31401











**sunvas** 31482



**sunvas** 31472




**sunsilk** 36977




**sunsilk** 36922



**sunvas** 31402


























**sunsilk** 36921



**sunsilk** 36984



**sunsilk** 36994



**sunvas** 31403



**sunvas** 31483



red\_ luminescent, active, warming, fiery, powerful, emotional, striking, conspicuous, impulsive, affectionate, strong








**sunsilk** 36979




**sunvas** 31474






**sunvas** 31414





















cream\_ soft, tender, light,
natural, bright, calm, friendly,
plain, elegant, appetising,
peaceful, popular, insensitive



sunsilk 36969



sunsilk 36919



**sunsilk** 36952



**sunvas** 31487




**sunvas** 31417



**sunvas** 31407



**sunvas** 31408



**sunvas** 31479













green\_ natural, juicy, fresh,
hopeful, calming, cool, relaxing,
enduring, healthy, verdant, curing



**sunvas** 31416



**sunvas** 31486



**sunsilk** 36997




**sunvas** 31406




sunsilk 36916



**sunvas** 31476

















411 - 2225

**sunsilk** 36975

**blue\_** harmonious, levitating, benevolent, rational, heavenly, refreshing, calming, cool, vast, peaceful, distant, safe



















**sunvas** 31418





**sunsilk** 36988



**sunvas** 31478







sunsilk snc

15 | sunsilk snc

world of colours: yellow

brilliant luminosity
smooth surface
excellent technical properties






# sunsilk snc

Seven summery and fresh colour families and delicate tone-in-tone fabric patterns emphasise the clear design concept behind sunsilk snc. They lend the transparent material made of refined, hightech polyester with its typical, brilliant luminescence a new and exciting appeal. sunsilk snc combines ultramodern appearance with an outstanding technical specification: durable, colourfast, resilient and with selfcleaning effect. Tried, tested and certified with the test symbol "self-cleaning - inspired by nature" which was awarded and confirmed by the internationally

> renowned Institute for Textile Technology and Process Engineering - ITV, Denkendorf.




sunsilk 32871



sunsilk 32879




sunsilk 32801




sunsilk 32851



sunsilk 32850



sunsilk 32831



sunsilk 32811



sunsilk 32822



sunsilk 32860



sunsilk 32861



sunsilk 32859



sunsilk snc | 16

world of colours: orange

brilliant luminosity smooth surface excellent technical properties







sunsilk 32852



**sunsilk** 32802



sunsilk 32823



sunsilk 32812



sunsilk 32832



sunsilk 32847



sunsilk 32853



sunsilk 32814



17 | sunsilk snc









sunsilk 32833



sunsilk 32843



sunsilk 32829



sunsilk 32803



sunsilk 32849



**sunsilk** 32863



sunsilk 32813



sunsilk 32807



sunsilk 32877



sunsilk 32827



sunsilk 32806



sunsilk 32834



sunsilk 32817



sunsilk snc | 18

world of colours: green





world of colours: blue







sunsilk 32855







sunsilk 32836



**sunsilk** 32805



sunsilk 32835



**sunsilk** 32820



**sunsilk** 32845




sunsilk 32865



sunsilk 32844

sunsilk 32824



sunsilk 32866

sunsilk 32846



sunsilk snc 19 |

world of colours: black/grey

brilliant luminosity smooth surface excellent technical properties



# exclusive














sunsilk 32804



**sunsilk** 32830




**sunsilk** 32840



sunsilk 32826





21 | sunvas snc

# summery



# sunvas snc

Fabrics in restrained, muted, pastel colours in seven colour families lend sunvas its traditional yet modern character.

The textile material with a soft, fluffy touch and gentle colour glow radiates a socially appealing charm. sunvas snc combines a romantic appearance with an outstanding technical specification: durable, colourfast, resilient and with self-cleaning effect. Tried, tested and certified with the test symbol "self-cleaning inspired by nature" which was awarded and confirmed by the internationally renowned

> Institute for Textile Technology and **Process Engineering** - ITV, Denkendorf.




**sunvas** 31511



**sunvas** 31520



**sunvas** 31581





**sunvas** 31571



**sunvas** 31591



sunvas 31574



**sunvas** 31569



**sunvas** 31556



sunvas 31551




**sunvas** 31552



**sunvas** 31570



**sunvas** 31501



sunvas 31554



sunvas snc | 22







**sunvas** 31584



**sunvas** 31579



**sunvas** 31589



**sunvas** 31572



**sunvas** 31563



**sunvas** 31575



**sunvas** 31502



**sunvas** 31507



powerful

**sunvas** 31504



**sunvas** 31522



**sunvas** 31516



**sunvas** 31512



**sunvas** 31582



**sunvas** 31562



**sunvas** 31542



**sunvas** 31583



**sunvas** 31549

23 | sunvas snc



# markilux

sunvas snc | 24

world of colours: cream

silky soft surface exquisite texture



# elegant



**sunvas** 31587




**sunvas** 31545



**sunvas** 31577



**sunvas** 31567



**sunvas** 31585



**sunvas** 31588



**sunvas** 31521



**sunvas** 31541



**sunvas** 31547



**sunvas** 31537



sunvas 31517



**sunvas** 31510

25 | sunvas snc

world of colours: green

gentle glow silky soft surface exquisite texture



# natural



**sunvas** 31546



**sunvas** 31586



**sunvas** 31536



**sunvas** 31580



**sunvas** 31564



**sunvas** 31590



**sunvas** 31526



**sunvas** 31531



**sunvas** 31533



sunvas snc | 26

world of colours: blue

# harmonious









**sunvas** 31506



**sunvas** 31515




**sunvas** 31555



**sunvas** 31529



**sunvas** 31505



**sunvas** 31528



**sunvas** 31524



**sunvas** 31525



**sunvas** 31561



**sunvas** 31532



**sunvas** 31534



**sunvas** 31559



**sunvas** 31558



**sunvas** 31519




**sunvas** 31548

27 | colours



**sunvas** 31303



**sunvas** 31313



**sunvas** 31326



**sunvas** 31306





**sunvas** 31315



**sunvas** 31318



**sunvas** 31328



**sunvas** 31309




**sunvas** 31308

# colours

This fabric range offers ultramodern patterns in the gently glowing sunvas quality that appeal to every taste. 19 classic, timeless blockstripes have been reinterpreted in new colour shades.









29 | classics





<sup>\*</sup> also available as widely woven fabrics for the manufacture of seamless covers up to a drop of 320 cm.

classics | 3





<sup>\*</sup> also available as widely woven fabrics for the manufacture of seamless covers up to a drop of 320 cm.

31 | classics



**sunvas** 31077

sunsilk 32447

sunsilk 32437

sunsilk 32449











**sunvas** 31067



sunsilk 32434

**sunvas** 31007



**sunvas** 31038\*

**sunvas** 31008\*

sunsilk 32414



**sunvas** 31018



sunsilk 32438



**sunvas** 31028\*


\* also available as widely woven fabrics for the manufacture of seamless covers up to a drop of 320 cm.


# Braid colours and valance shapes

# Braid colours and valance shapes

Every fabric pattern has been assigned a standard braid colour. However, if you would like a different colour, please choose from the range shown.

The valance always has the same seam arrangement as the cover as they are both cut from one piece of material. The shape of the valance is symmetrical at both ends. Moreover, the crests and troughs in the valance are adjusted to correspond to the widths of the stripes in the pattern. We cannot guarantee that we can copy the pattern repeat exactly in valances supplied at a later date.







# perfotex

The special fabric for markilux conservatory awnings made from high-tech polyester material in proven sunsilk quality. An additional aluminium coating reflects heat even more effectively, even before it can enter the conservatory.

This light and air-permeable fabric woven using a special technique is pleasantly transparent and reduces the possibility of water troughs forming, which would put extra strain on the cover. A high-grade SFC finish (Teflon) offers tried and tested protection from soiling and gives the fabric its water-repellent properties.



perfotex 33202 on the top of the fabric (i)



perfotex 33202 on the underside of the fabric



Accordingly, the side of the fabric with the higher concentration in pigmentation is placed facing upwards in order to attain the maximum benefits in heat and light reflection. This is unavoidable.

35 | perfotex



# Good to know:

Covers using the special, stabilising production method, with seams every 60 cm, have proved their worth when fitted to markilux conservatory awnings, so covers for the markilux 8800 and 8850 are made as standard using this technique. perfotex covers for markilux vertical blinds and awnings are manufactured from fabric panels 120 cm in width and for technical reasons are only available in a stitched finish.

perfotex fabrics are finished with an aluminium pigmentation on both sides. Due to the special manufacturing technique different concentrations of this finish are found on the upper and underside of the fabrics. Accordingly, the side of the fabric with the higher concentration in pigmentation is placed facing upwards in order to attain the maximum benefits in heat and light reflection.

Depending on lighting conditions the differing concentration levels may be more noticeable on lighter-coloured perfotex fabrics.

This is unavoidable.


31858



The vuscreen FR material used to create modern sun and glare protection covers for markilux vertical blinds and awnings is finely perforated and transparent to a limited degree. It protects against reflected light. It has a permanent flame-retardant FR coating and provides the highest degree of technical safety in those areas where protection against a possible outbreak of fire is required.








vuscreen FR





37 | vuscreen


# vuscreen ALU

The vuscreen ALU material used to create modern sun and glare protection covers for markilux vertical blinds and awnings is finely perforated and transparent to a limited degree. It protects against reflected light. Particles of aluminium on the fibres of this easily-caredfor, high-tech polyester fabric provide a pleasant ambient climate by reflecting heat in the form of long-wave infrared radiation.












vuscreen ALU 31768

# sunsilk perla FR


# sunsilk perla FR

sunsilk perla FR is a highquality awning fabric based on the innovative, high-tech fabric sunsilk snc. This coated fabric is waterproof and flame retardant and should be used wherever fire safety instructions are to be observed and protection from rain or sun and a decorative effect is required.


In daylight, the radiant colours pass through the white underside of the sunsilk perla FR fabric, which makes it possible to tailor the colour design of the interior space to the specific requirements of the customer but also ensures a bright, friendly atmosphere in the evening.



(i) underside of the fabric









# Awning covers // Product characteristics and care

Awning covers are industrially manufactured textile products which serve both a functional and a decorative role. They are high performance products that meet the strictest technical requirements. They undergo extensive laboratory testing during every production run. Criteria such as water impermeability, rigidity, dirt and water-repellent properties, resistance to tearing and tear propagation, colour fastness and numerous other characteristics are defined. assessed and guaranteed for each fabric type by the manufacturer.

Although only first-class, quality controlled fabric is used in production, there are limits to the degree of perfection that can be achieved. Awning owners occasionally complain about certain imperfections in the fabric but such phenomena cannot be eradicated completely, even with today's technology.

## Creases

can appear during the cover making process and when the fabric is folded. When viewed against the light, a dark stripe can be seen where the fabric has been folded, especially with light colours; this is a result of the fibres having been realigned (altered light refraction).

# Puckering of the fabric

can appear along the side hems, next to the seams and in the centre of the panel. The fabric is twice as thick at the seams. As the cover is wound onto the roller the two layers of fabric are forced to assume different diameters thus creating tension within the fabric. The tension of the folding arms and the weight of the roller and/or front profile can exacerbate this effect. Puckering can also develop if a water trough forms during heavy rainfall.

# Water impermeability / resistance to rain

Sunshade fabrics are impregnated with a water-repellent finish and, if properly cared for and used at a pitch of at least 14° (to the horizontal), remain impervious to water during short, light rainfall. During prolonged and/or heavy rainfall the awning must not be extended or should be retracted to prevent any damage. If the

cover has become wet the awning must be extended again later so that it can dry to prevent marking of the fabric.

# Tension-induced stretching of the side hems

In most cases an active tensioning system keeps the cover taut almost permanently. Although seams and hems provide reinforcement, they also have to withstand the most strain. When the cover is rolled up the seams and hems roll up on themselves. which increases the pressure and tautness still further. They are therefore exposed to considerable tension and this can cause them to stretch slightly. This may lead to slight sagging of the lateral seams when the awning is extended. Source: ITRS (BKTex)

In the case of both stitched and bonded covers all seams are arranged symmetrically. This ensures that the awning runs smoothly and that it is aesthetically pleasing to the eye, as – in the case of striped fabrics – the pattern on both sides of the cover finishes evenly.

# The right care for your awning cover

So that you may have long and pleasurable use from your markilux awning cover here are a few tips regarding its care: Dust can best be removed when dry by means of a soft brush. Remove leaves, twigs and similar debris immediately. Small stains should be removed using lukewarm water and a commercially accepted. preferably liquid detergent suitable for delicate fabrics (5% soap solution, water temperature max. 30°C). Rinse thoroughly with water. Comprehensive tips for the cleaning and care of exterior solar protection fabrics can be found in the guidelines laid down by the Industrial Association for Technical Textiles - Shutters - Solar Protection (ITRS e.V.)

# Other important information relating to external solar protection fabrics

In spite of the state-of-the-art manufacturing systems used by us, small imperfections such as knots, uneven yarn thicknesses, the occasional broken yarn, waviness or uneven rolling up

characteristics as well as signs of fabric stretch - especially in the region of hem or panel seam - cannot always be avoided. Furthermore, traces of handling such as slight creases, which appear as stripes in the fabric when held against the light, are also unavoidable. The fabric's own weight might cause it to sag slightly and this may become more apparent when the awning is wet. We guarantee that neither phenomenon will have any negative effect on the function or operation of the awning. In this regard we make reference to the guidelines of the ITRS e.V. (The Industrial Association for Technical Textiles - Shutters -Solar Protection) on the product characteristics of made-up solar protection covers.

Detailed instructions for the awning dealer containing all important information with regard to operation, care and maintenance are included with every awning delivery.

Source: ITRS (BKTex)

www.markilux.com.au safe · timeless · beautiful



# markilux australia pty ltd

t: 1300 65 44 69

e: info@markilux.com.au

markilux.com.au

Your markilux specialist:



markilux ... making space for life